

NewTechWood

NewTechWood • PRODUCT CATALOG 2025

PRODUCT CATALOG

2025



PRODUCT CATALOG 2025



NewTechWood and UltraShield® are registered trademarks © All rights reserved.
www.newtechwoodintl.com inquiry@newtechwood.com



HISTORY



In 2004 NEWTECHWOOD CORPORATION was founded.



In 2011 The company Launched its Capped Composite Brand: UltraShield.



In 2020 The Company Launched its Capped Aluminium Brand: Alusions.




In 2024 The Company was Listed on the Shenzhen Stock Exchange.







Red Cedar Cladding in Canada



Cedar Cladding in USA



Antique Decking in Canada



Ipe Cladding in Australia



Ipe Cladding in South America



Teak Cladding in Australia



Antique Decking in South Africa



Antique Decking in Australia



Antique Decking in Australia



Stone Gray Decking in Australia



High Tech Resin
Seamless Flooring



WE ARE NEWTECHWOOD

NewTechWood has pioneered the development of composite manufacturing and has been a leader in wood-plastic composite technology since 2004. With every product it developed and manufactured, NewTechWood has committed itself to creating beautiful, useful and dependable products that enhance your outdoor living space.



Leadership in Energy and
Environmental Design



High Environmental Quality Certification



ISO 9001 System Certification
Certification No.: CN06/01765



IPMS Certificate
Certification No.: BOHANIPMS210032



SCS Recycled Content Certification
Certification No.: SCS-RC-06525



ICC-ES Certification
Certification No.: ESR-3487, ESR-3923, ESL-1288



Forest Stewardship Council
Certification No.: SGSHK-COC-011736



Environmental Product Declaration
Certification No.: NEPD-6566-5815-EN, NEPD-6567-5815-EN,
NEPD-6569-5815-EN, S-P-02183



BREEAM international New Construction




TO UNDERSTAND THE EARTH



SUSTAINABILITY IS IN OUR DNA

Sustainability sits at the heart of our research and development. By using recycled goods for manufacturing composite timber products, every year NewTechWood saves over 30,000 tons of plastic from being buried in landfills forever. We want to bring this knowledge on sustainability to our customers and show how NewTechWood's products and their characteristics can help you earn more credits in building rating schemes.





NewTechWood uses selected recycled high-density PE (post-consumer), combined with recycled wood fiber from furniture cut-offs, shavings, sawdust etc. as feedstocks, its products are 100% recyclable after their life spans.



ULTRASHIELD: UNRIVALED BEAUTY, UNMATCHED PROTECTION

UltraShield®

Unrivalled Beauty
Unmatched Protection



Core

The core of the decking material is made from carefully selected recycled material and highly dense recycled hardwood and softwood fibers that allow for great strength and durability, and best of all it's 100% recyclable.



Pendulum Slip Resistance Test

The pendulum slip resistance test measures the slip resistance of a floor surface by replicating the interaction between a moving pedestrian heel and static surface. The Pendulum has a swinging arm with a rubber slider attached to the heel of an imitation foot, which sits at the bottom of the arm.




Scratch Resistance Test

Scratch Resistance Test is to measure the relative resistance or susceptibility of a material surface to scratching, marring, gouging, scraping, engraving and other similar physical damage not classified as ordinary wear.

LABORATORY

During the production process, products are sampled to ensure that their appearance and performance meet inspection standards.



Peel Strength Test

Peel strength testing determines the adhesive strength of materials that have been bonded together. The cap materials are peeled apart at a constant speed and the strength of the force needed to separate the cap materials from the core is calculated along with the width of the bond surface to determine the peel strength.



Abrasion Test

Taber abrasion test consists of a disk-shaped specimen that is placed in constant contact with an abrasive wheel, using predetermined forces to a specified number of cycles to determine wear.



Freeze-thaw Cycle Test

The freeze-thaw cycle test determines the stability of the products under various conditions. This type of test puts the product through a series of extreme, rapid temperature changes that it may encounter during normal usage.



Bending Test

Bending test is conducted by placing a piece of product across a span and pushing down along the span to bend the material until failure. Bending test reveals the elastic modulus of bending, flexural stress, and flexural strain of a material.

COLLECTION



DECKING

23 – 56

Naturele

Marina

Old World

Essentials

Decking Finishers



RAILING

57 – 66

Composite Railing

Aluminum Railing



CLADDING

67 – 116

All-Weather

Noir Castellated

Castellation

Noir Shadowline

Castellation Pro

Shadowline

Loglap

Board & Batten

ABOUT NEWTECHWOOD



FENCING

117 – 154

Flat Fencing

Castellation Fencing

Composite Picket

Composite Fence Gate



DECK TILE

155 – 188

Deck Tile

Grass Tile

Ceramic Tile



BEAMS

189 – 212

Beams

Louver

The company focuses on the R&D, production, promotion, and sales of wood-plastic composite materials and products, which are used in outdoor environments such as home courtyards, balconies public buildings and landscape construction.



NewTechWood | www.newtechwoodintl.com

DECKING

Get decked out

Composite decking is now the mainstream alternative to class wood decking. It is made with wood scraps and fibers mixed with thermoplastic resin. Its' not only more eco-friendly but also low maintenance and more durable. We're proud to say that with every product that we develop and manufacture, we are committed to creating beautiful, useful and dependable projects.





UltraShield® | www.newtechwoodintl.com

COMPREHENSIVE WARRANTY


Our **UltraShield®** decking is backed by one of the most comprehensive warranties in the industry.

NewTechWood stands behind its products, backed by a 25-year limited, transferable warranty.

We are so confident in the quality of our decking that we will refund the cost or replace the decking if it underperforms.



Silver Gray Decking in Australia



Silver Gray Decking in Australia



Walnut & Teak Decking in South America



Ipe & Teak Decking in South America



Teak & Walnut Decking in USA



NATURAL FEEL OF WOOD PATTERN

Our proprietary brushing technique enhances the texture and grain of the material, creating a rich, organic appearance that mimics the beauty of natural wood.


NATURALE




Flat Grain (H54)



Wood Grain (H55)



Anti-Slip Grain (Y70)



Weathered (H59)

ESSENTIALS











Handscrapped Grain (Y53)









Cathedral Grain (Y61)

MULTI-CHROMATIC COLORS



NewTechWood has the widest array of colors in the industry ranging from magnificent primary colors to deep browns and infectious grays.

● Note: Some colors might be limited to certain countries, please consult with your local distributor.





Red Cedar Decking on Vanlife boat





Ipe Decking in Korea






138 x 22.5 mm
US01



138 x 22.5 mm
UH02



210 x 22.5 mm
US54




210 x 22.5 mm
UH22



ESSENTIALS




Convex Shape Better Drainage



138 x 23.5 mm
US94




140 x 25 mm
UH100




Handscrapped Grain (Y53)




Cathedral Grain (Y61)




Antique




Silver Gray





Teak





Walnut



210 x 36 mm
US71



Anti-Slip Grain (Y70)



210 x 22.5 mm
US54



SPLINTER
FREE



UV
PROTECTION




MOLD/MILDEW
RESISTANCE



STAIN
RESISTANCE




DUAL
SURFACE




Weathered / Flat Grain (H59/H54)




Anti-Slip Grain / Flat Grain (Y70/Y1)



Silver Ash



Aged Wood



Anthracite Gray



DECKING FINISHERS



Note: US33 is not available for the Essentials Line




138 x 22.5 mm
US33



138 x 10 mm
US08



138 x 15 mm
US06



138 x 22.5 mm
US07



180 x 15 mm
US03



285 x 15 mm
US05



DECKING ACCESSORIES

Your NewTechWood deck expands and contracts under various weather conditions without creating wear and tear on individual planks using our easy-to-install clip systems that keep your deck looking its best for years to come.



FEATURES

304 Stainless Steel

Torx Head

All metal fixings are 304 stainless steel to ensure maximum protection against rust and corrosion.



FEATURES

Fortunately, our composite decking clips are designed to be totally hidden clips. These concealed deck fasteners, two for each board, support and hold your deck together without creating an unsightly break in the appearance of its construction. We have the best hidden deck fasteners available, made to fit all of our board systems, in 304 stainless steel, 304 stainless steel with black powder coating and TPO plastic.



Ipe Decking in South Africa





Antique Decking in Korea



Antique Decking in South Africa



Silver Gray Decking in USA



Antique Decking in Italy





RAILING

Exceptional strength and stability

Composite railing combines stunning aesthetics with reliable safety features, transforming your outdoor space into a haven of elegance and tranquility. Constructed from high-quality materials, it provides exceptional strength and stability, withstanding the rigors of everyday use and the elements. Composite railing resists rotting, warping, and fading, and requires minimal maintenance and offers long-lasting performance.



UltraShield® | www.newtechwoodintl.com

COMPOSITE RAILING

NewTechWood creates a modern and sleek railing with the combination of aluminum and composite.





Teak Baluster Railing in USA






NewTechWood | www.newtechwoodintl.com

ALUMINUM RAILING

Sturdy and fast to install





Black Aluminum Railing in China






CLADDING

Add warmth to any building

Composite cladding is an external wall cladding primarily used on facades, ceilings, and other features such as garage doors, stand-alone feature walls, and etc. The finished product provides a high-end look in a range of different colors, without the need for periodic maintenance common with other products. It's becoming the fastest growing category for composites as it adds warmth to the application its put on.





UltraShield® | www.newtechwoodintl.com

COMPREHENSIVE WARRANTY

Our **UltraShield®** cladding is backed by one of the most comprehensive warranties in the industry.

NewTechWood stands behind its products, backed by a 25-year limited, transferable warranty.

We are so confident in the quality of our cladding that We will refund the cost or replace the cladding if it underperforms.




STUNNING WOOD LOOKS

Our embossings are designed to replicate the natural look and feel of wood, giving you the beauty and warmth of real wood without the maintenance or environmental impact.

ALL-WEATHER



Flat Grain (H54)



Wood Grain (H55)



Shou Sugi Ban (H77)

CASTELLATED



Flat Grain (H54)




Wood Grain (H67)




Shou Sugi Ban (H77)

MULTI-CHROMATIC COLORS



NewTechWood has the widest array of colors in the industry ranging from magnificent primary colors to deep browns and infectious grays.

● Note: Some colors might be limited to certain countries, please consult with your local distributor.





Ebony Cladding in Canada



Ebony Cladding in China



Ebony Cladding in Norway

UltraShield® Naturale™

SHOU SUGI BAN STYLE



After studying traditional Japanese techniques, NewTechWood's Shou Sugi Ban cladding gives the same bold charred look and texture without all the maintenance.



UV
PROTECTION



MOLD/MILDEW
RESISTANCE



STAIN
RESISTANCE



ENVIRONMENTALLY
FRIENDLY



US09: 142 x 13 mm



US30: 142 x 13 mm



US31: 142 x 13 mm



UV
PROTECTION



MOLD/MILDEW
RESISTANCE



STAIN
RESISTANCE



ENVIRONMENTALLY
FRIENDLY



US101: 142 x 13 mm



UV
PROTECTION



MOLD/MILDEW
RESISTANCE



STAIN
RESISTANCE



ENVIRONMENTALLY
FRIENDLY



UH58: 196.5 x 25 mm



UH61: 196.5 x 25 mm



UH93: 196.5 x 25 mm



UV
PROTECTION



MOLD/MILDEW
RESISTANCE



STAIN
RESISTANCE



ENVIRONMENTALLY
FRIENDLY



UH119: 196.5 x 25 mm



UH118: 196.5 x 25 mm



UV
PROTECTION



MOLD/MILDEW
RESISTANCE



STAIN
RESISTANCE



ENVIRONMENTALLY
FRIENDLY



UH89: 209 x 25 mm



UH92: 209 x 25 mm



UH94: 196.5 x 25 mm



UV
PROTECTION



MOLD/MILDEW
RESISTANCE



STAIN
RESISTANCE



ENVIRONMENTALLY
FRIENDLY



UH81: 196.5 x 25 mm



UH82: 209 x 25 mm



UH83: 209 x 25 mm



Flat Grain (H2)



UV
PROTECTION



MOLD/MILDEW
RESISTANCE




STAIN
RESISTANCE



ENVIRONMENTALLY
FRIENDLY



UH80: 199 x 25 mm



Flat Grain (H2)



UV
PROTECTION



MOLD/MILDEW
RESISTANCE



STAIN
RESISTANCE



ENVIRONMENTALLY
FRIENDLY



CASTELLATION PRO



UH108: 215 x 33 mm



UH130: 181 x 33 mm



UV
PROTECTION



MOLD/MILDEW
RESISTANCE



STAIN
RESISTANCE



ENVIRONMENTALLY
FRIENDLY



UH62: 209.5 x 18 mm



UH68: 170 x 25 mm



UV
PROTECTION




MOLD/MILDEW
RESISTANCE



STAIN
RESISTANCE



ENVIRONMENTALLY
FRIENDLY



UH71: 180 x 38 mm



Log Cabin (H36)



UV
PROTECTION




MOLD/MILDEW
RESISTANCE



STAIN
RESISTANCE



ENVIRONMENTALLY
FRIENDLY



US86: 278 x 20 mm



Flat Grain (H54)



UV
PROTECTION



MOLD/MILDEW
RESISTANCE



STAIN
RESISTANCE



ENVIRONMENTALLY
FRIENDLY



ACCESSORIES

NewTechWood Cladding is installed using a range of great accessories. Our AW08 Cladding clips hold the boards in place, using a grooved design for simplified installation and weather resistance. The AW02 starter strips gives you an even start point and additional support. Finally, our T-7 rubber stopper allows for the final row of Cladding to stay upright.



T-7
Rubber Stopper

AW08
Cladding Clip



AW02
Cladding Starting Trim



Trims







Walnut Cladding in Australia




Red Cedar Cladding in Canada





Ipe Cladding in Canada



Teak Cladding in South America



Teak Cladding in Canada



Teak Cladding in Korea











Ipe Cladding in Korea



Ipe Cladding in Korea



Teak Cladding in Korea



Ipe Cladding in Korea



V

ARTE MUSEUM VALLEY
GANGNEUNG



NewTechWood | www.newtechwoodintl.com

FENCING

Privacy never looked so good.

Composite fences are a modern and sustainable fencing solution made from a blend of recycled wood fibers and plastic. They come in variety of styles and colors, offering homeowners a customized look that complements their homes architecture. Composite fences are highly durable, with resistance to rotting, warping, cracking, and insects damage, making them virtually maintenance-free.





25 YEAR
WARRANTY

UltraShield® | www.newtechwoodintl.com

COMPREHENSIVE WARRANTY

Our **UltraShield®** fencing is backed by one of the most comprehensive warranties in the industry.

NewTechWood stands behind its products, backed by a 25-year limited, transferable warranty.

We are so confident in the quality of our fencing that We will refund the cost or replace the fencing if it underperforms.



FEATURES



- Tongue and groove connection
- Four sided post to be installed into
- Two styles to choose from

POST COLOR



Gray Matte (GM)



Black Matte (BM)



MULTI-CHROMATIC COLORS

NewTechWood has the widest array of colors in the industry ranging from magnificent primary colors to deep browns and infectious grays.



Teak




Ipe



Silver Gray



Ebony



Flat Grain (H54)



Wood Grain (H55)




Shou Sugi Ban (H77)


MULTI-CHROMATIC COLORS



NewTechWood has the widest array of colors in the industry ranging from magnificent primary colors to deep browns and infectious grays.

● Note: Some colors might be limited to certain countries, please consult with your local distributor.





FLAT FENCING



UH24
160 x 21 mm



End Board Trim (UH103) 150 x 21 mm
Composite Board (UH24) 160 x 21 mm



Ultraeasy Fencing



Invisible Locking Fencing



UH28
159 x 20 mm



UH49
310 x 21 mm



Ultraeasy Fencing



Ultraeasy Fencing



UH66
160 x 21 mm




End Board Trim (UH107) 141 x 21 mm
Composite Board (UH66) 160 x 21 mm



Ultraeasy Fencing



Invisible Locking Fencing



UH105
160 x 21 mm



Ultraeasy Fencing



Teak Fencing in Korea






Teak Fencing in Korea



Light Gray Fencing in Poland



Walnut Fencing in Korea



Ipe Fencing in USA





Ipe Fencing in USA



Ipe Fencing in USA




Teak Fencing in Netherlands



Teak Fencing in Korea







Walnut Fencing in Korea



COMPOSITE FENCE GATE

Composite Fence Gate (UH66)
W960 x H1820 mm



Composite Fence Gate (UH24)
W960 x H1820 mm






Teak Fence Gate in China



Silver Gray Fence Gate in China



COMPOSITE PICKET





US89
89 x 12.5 mm



US118
138 x 13 mm



UH122
175.5 x 21.5 mm






Teak Fencing in China




Teak Fencing in Korea






Teak Fencing in Korea



Charcoal Fencing in China







Canadian Cedar Fencing in Australia






NewTechWood | www.newtechwoodintl.com

DECK TILE

Different types to mix and match together.

Composite deck tiles are made up of composite wood fastened to a modular plastic base. The tiles are easy to install and can be placed directly on top of an existing surface such as concrete or an old deck. They interlock with each other, creating a seamless and durable surface that is resistant to stains, scratches, and weathering.





UltraShield® | www.newtechwoodintl.com

COMPREHENSIVE WARRANTY

Our **UltraShield®** deck tile is backed by one of the most comprehensive warranties in the industry.

NewTechWood stands behind its products, backed by a 10-year limited, transferable warranty.

We are so confident in the quality of our deck tile that We will refund the cost or replace the deck tile if it underperforms.



FLEXBILE LOCKING SYSTEM




Capped Composite Deck Tile Pre-assembled on an Interlocking base



Four Sided Interlocking Base

MULTI-CHROMATIC COLORS



NewTechWood has the widest array of colors in the industry ranging from magnificent primary colors to deep browns and infectious grays.

● Note: Some colors might be limited to certain countries, please consult with your local distributor.





Light Gray & Charcoal Deck Tile in USA



Ipe & Maple Deck Tile in USA




DECK TILE



Deck Tile: L308 x W80 x H22 mm



1 X 1 Deck Tile: L308 x W308 x H22 mm



1 X 2 Deck Tile: L612.5 x W308 x H22 mm



1 X 3 Deck Tile: L916 x W308 x H22 mm



Expansion Joint: L300 x W46.5 x H22 mm





Quick Deck LED Lighting: L300 x W72 mm





EXAMPLES OF MIXING





DECK TILE FASCIA & TRIM

FASCIA



Straight Fascia : L302 x W53.5 x H23.5 mm



Outside Corner Fascia: L356.5 x W53.5 x H23.5 mm



Inside Corner Fascia: L303 x W53.5 x H23.5 mm

TRIM



Straight Trim: L302 x W24 x H22 mm



Outside Corner Trim: L327 x W24 x H22 mm



Inside Corner Trim: L303 x W24 x H22 mm

STAIR TRIM



Stair Trim: L302 x W75 x H75 mm





Grass Cube: L72 x W72 x H22 mm



Grass Slat: L308 x W72 x H22 mm



Grass Tile: L308 x W308 x H22 mm




CERAMIC TILE



Ceramic Tile: L308 x W308 x H20.5 mm



Smoke White



Travertine



Champagne Marble



Silver Gray



Dark Gray



Planter Box: L915 x W307 x H222 mm



Planter Box: L915 x W611 x H222 mm



Planter Box: L915 x W915 x H222 mm



Cedar



Teak



Ipe & Maple Deck Tile in USA





Teak Deck Tile in USA



Teak & Ipe Deck Tile in China



Charcoal Deck Tile in USA







Charcoal Deck Tile in USA



Charcoal Deck Tile in USA



Antique Deck Tile in USA





NewTechWood | www.newtechwoodintl.com

BEAMS

Add warmth to any building.

Composite beams are used for facades, ceilings, and other features such as garage doors, stand-alone feature walls and more. The finished product provides a high-end look in a range of different colors, without the need for periodic maintenance common with other products. It's becoming the fastest growing category for composites as it adds warmth to the application its put on.






UltraShield® | www.newtechwoodintl.com

COMPREHENSIVE WARRANTY

Our **UltraShield®** beams is backed by one of the most comprehensive warranties in the industry.

NewTechWood stands behind its products, backed by a 25-year limited, transferable warranty.







We are so confident in the quality of our beams that We will refund the cost or replace the beams if it underperforms.



STUNNING WOOD LOOK



MULTI-CHROMATIC COLORS




NewTechWood has the widest array of colors in the industry ranging from magnificent primary colors to deep browns and infectious grays.

● Note: Some colors might be limited to certain countries, please consult with your local distributor.







BEAMS



UH55
56 x 30.5 mm



UH17
60 x 42 mm



UV
PROTECTION




MOLD/MILDEW
RESISTANCE




STAIN
RESISTANCE



ENVIRONMENTALLY
FRIENDLY




UH38
90 x 51 mm




UH25
100 x 52 mm



BEAMS



UH26
120 x 62 mm



UH27
150 x 82 mm



UV
PROTECTION




MOLD/MILDEW
RESISTANCE




STAIN
RESISTANCE



ENVIRONMENTALLY
FRIENDLY



UH56
107.5 x 30.5 mm



UH72
200 x 30.5 mm



ACCESSORIES




K-33



Vertical Clip



Horizontal Clip



End Cap




Metal Tube




Red Cedar Beams in Canada






US126-45
75 x 89 mm





Teak Beams in China









Red Cedar Beams in Canada







UltraShield® | www.newtechwoodintl.com

DECKING

Profiles


Ref. No.

Unique Decors

Colors

Naturele

Size
138 x 22.5 mm



US01



Flat Grain
H54

Size
138 x 22.5 mm



UH02



Wood Grain
H55

Size
210 x 22.5 mm



US54

Size
210 x 22.5 mm



UH22



Cedar



Red Cedar




Blackbutt



Oak



Teak



Ipe



Walnut




Redwood



Smoke White



Antique




Silver Gray




Light Gray



Silver Ash



Mirage Gray



Aged Wood



Ebony

Marina

Size
210 x 36 mm



US71



Anti-Slip Grain
Y70

Old World

Size
210 x 22.5 mm



US54




Weathered
H59



Flat Grain
H54



Silver Ash



Aged Wood



Anthracite Gray



Anti-Slip Grain
Y70



Flat Grain
Y1

Essentials


Size
138 x 23.5 mm




US94




Handscrapped Grain
Y53



Antique



Silver Gray



Teak



Walnut

Size
140 x 25 mm

























UH100









Cathedral Grain
Y61

DECKING

Profiles	Ref. No.	Unique Decors	Colors
Decking Finishers			
Size 138 x 22.5 mm	US33	 Flat Grain H54	 Cedar  Red Cedar  Blackbutt  Oak
Size 138 x 10 mm	US08	 Wood Grain H55	 Teak  Ipe  Walnut  Redwood
Size 138.5 x 15 mm	US06	 Weathered H59	 Smoke White  Antique  Silver Gray  Light Gray
Size 138.5 x 22.5 mm	US07	 Handscrapped Grain Y53	 Silver Ash  Mirage Gray  Aged Wood  Ebony
Size 180.5 x 15 mm	US03	 Cathedral Grain Y61	
Size 285.5 x 15 mm	US05	 Anti-Slip Grain Y70	

DECKING ACCESSORIES

Profiles	Ref. No.	Installation Schematic
Standard Clip System		
Size L38 x W16.5 x H11 mm	TC-10 Locking Clip	
Size L38 x W19 x H12.5 mm	TC-2 CEC Clip	
Breaker Board Clip System		
Size L42 x W19 x H12 mm	TC-17 Breaker Board Locking Clip	
Size L55 x W18 x H12 mm	TC-27 Breaker Board CEC Clip	
Starting Clip		
Size L40 x W24 x H35.5 mm	TC-19 Starting Clip	
Size L29 x W25 x H12 mm	MG-3 Starting Clip	

DECKING ACCESSORIES

Profiles

Colors

End Caps

Quick and clean finish
UV stable
Made of TPO



Cedar Red Cedar Blackbutt Oak

Descratch Repair Kit

Use this simple repair kit to clean up end caps, dents, nail holes, scratches, and other blemishes.

Each repair kit comes complete with two 10cm wax sticks plus an easy-to-use applicator to finish any job with professionally-installed good looks.




Teak Ipe Walnut Redwood



Smoke White Antique Silver Gray Light Gray

Composite Plugs

The composite Decking Plug is made from the same material, pigment and texture as the decking. It is used to cover the decking screwhead to provide a perfect and flat finish.



Silver Ash Mirage Gray Aged Wood Ebony

Colored Head Screws

These industry standard screws are ideal for finishing start and end planks, fascia, and stair treads.

100 #8 screws plus #2 drive bit are included.



Teak Ipe Walnut Light Gray



Antique

RAILING

Profiles

Colors

Composite Railing

Railing attached to residential decks

Size
L1823 x H991 mm

Railing attached to commercial decks

Size
L1823 x H1139 mm



Teak



Ipe



Antique



Light Gray



Charcoal

RAILING

Profiles

Components

Top Rail With Metal Insert



Baluster



Foot Block



Railing Brackets And Accessories



Post with Metal Insert

RAILING



Profiles

Coloures

Aluminum Railing

Size

- L1905 x H1003 mm
- L1905 x H1143 mm
- L2514 x H1003 mm
- L2514 x H1143 mm



Black



White



Bronze

Components

Panel Kits



Bottom Rail Support



Brackets For Straight Railing Only



Angle Bracket For Straight And Stair Railing



Straight Movable Angle Is 0~45°





































Stair Movable Angle Is 25~38°



Post & Skirt

CLADDING


Profiles	Ref. No.	Unique Decors	Colors
All-Weather			
<div>Size</div> <div>142 x 13 mm</div> <div></div>	US09	<div></div> <div>Flat Grain H54</div>	<div> Cedar</div> <div> Red Cedar</div> <div> Blackbutt</div> <div> Oak</div> <div> Teak</div> <div> Ipe</div> <div> Walnut</div> <div> Redwood</div> <div> Smoke White</div> <div> Antique</div> <div> Silver Gray</div> <div> Light Gray</div> <div> Silver Ash</div> <div> Mirage Gray</div> <div> Aged Wood</div> <div> Ebony</div>
<div>Size</div> <div>142 x 13 mm</div> <div></div>	US30		
<div>Size</div> <div>142 x 13 mm</div> <div></div>	US31	<div></div> <div>Wood Grain H55</div>	
Noir Shadowline			
<div>Size</div> <div>142 x 13 mm</div> <div></div>	US101	<div></div> <div>Shou Sugi Ban H77</div>	
Shadowline			
<div>Size</div> <div>209.5 x 18 mm</div> <div></div>	UH62		
<div>Size</div> <div>170 x 25 mm</div> <div></div>	UH68		
Castellation			
<div>Size</div> <div>196.5 x 25 mm</div> <div></div>	UH58	<div></div> <div>Flat Grain H54</div>	
<div>Size</div> <div>196.5 x 25 mm</div> <div></div>	UH61		
<div>Size</div> <div>209 x 25 mm</div> <div></div>	UH89	<div></div> <div>Wood Grain H67</div>	
<div>Size</div> <div>196.5 x 25 mm</div> <div></div>	UH93	<div></div> <div>Shou Sugi Ban H77</div>	
<div>Size</div> <div>209 x 25 mm</div> <div></div>	UH92		
<div>Size</div> <div>196.5 x 25 mm</div> <div></div>	UH94		

CLADDING

Profiles	Ref. No.	Unique Decors	Colors
----------	----------	---------------	--------

■ Castellation Pro

Size
215 x 33 mm



UH108



Flat Grain
H54

Size
181 x 33 mm



UH130



Wood Grain
H67

■ Noir Castellated

Size
196.5 x 25 mm



UH119



Shou Sugi Ban
H77


Size
196.5 x 25 mm




UH118




Cedar Red Cedar Blackbutt Oak



Teak Ipe Walnut Redwood



Smoke White Antique Silver Gray Light Gray



Silver Ash Mirage Gray Aged Wood Ebony

■ Castellation

Size
199 x 25 mm



UH80

Size
196.5 x 25 mm



UH81



Flat Grain
H2

Size
209 x 25 mm



UH83

Size
209 x 25 mm



UH82

■ Loglap

Size
180 x 38 mm



UH71



Log Cabin
H36

■ Board & Batten

Size
278 x 20 mm














US86



Flat Grain
H54

CLADDING TRIMS

Trims

	US09 142 x 13 mm				
	US30 142 x 13 mm		F-Trim US44 47 x 44 mm		H-Trim US45 79 x 27 mm
	US31 142 x 13 mm				Outside Corner Trim US46 59 x 59 mm
	US101 142 x 13 mm				Inside Corner Trim US47 71.5 x 71.5 mm
	UH62 209.5 x 18 mm		End-Trim US75 48.5 x 36 mm		End-Trim US76 90.5 x 36 mm
	UH58 196.5 X 25 mm				Outside Corner Trim UH79 129 x 129 mm
	UH119 196.5 X 25 mm		End-Trim UH59 90 X 56 mm		Outside Corner Trim UH60 132 X 132 mm
					I -Trim UH70 100 X 35 mm
					I -Trim US85 50 X 35 mm
	UH61 196.5 X 25 mm				
	UH118 196.5 X 25 mm				
	UH89 209 X 25 mm				
	UH92 209 X 25 mm		End-Trim UH50 75.5 X 54 mm		Outside Corner Trim UH51 81.5 X 81.5 mm
	UH68 170 x 25 mm				I -Trim UH70 100 X 35 mm
	UH93 196.5 X 25 mm				I -Trim US85 50 X 35 mm
	UH94 196.5 X 25 mm				

CLADDING TRIMS

Trims



UH80
199 X 25 mm



UH81
196.5 X 25 mm



UH82
209 X 25 mm



End-Trim UH50
75.5 X 54 mm



Outside Corner Trim UH51
81.5 X 81.5 mm



I-Trim UH70
100 X 35 mm



I-Trim US85
50 X 35 mm



UH83
209 x 25 mm



Outside Corner Trim UH51
81.5 X 81.5 mm



I-Trim UH70
100 X 35 mm



F-Trim US73
74 X 58 mm



End-Trim US75
48.5 x 36 mm



I-Trim US85
50 X 35 mm



US86
278 X 20 mm



F-Trim US104
73 X 47 mm



Inside Corner Trim US105
105 X 105 mm



Outside Corner Trim US106
80 X 80 mm




End-Trim US107
78 X 49 mm



I-Trim US108
55 x 30 mm



UH108
215 X 33 mm



UH130
181 X 33 mm

Outside Corner



Cover CA36
66 X 66 mm



Base AA35
45 X 64 mm

Outermost Edge



F-Trim CA37
74 X 59.5 mm

FENCING

Profiles	Ref. No.	Unique Decors	Colors
----------	----------	---------------	--------

Flat Fencing

Size
160 x 21 mm



UH24

Size
150 x 21 mm



UH103

Size
159 x 20 mm



UH28

Size
310 x 21 mm



UH49



Flat Grain
H54



Wood Grain
H67



Shou Sugi Ban
H77



Teak



Ipe



Silver Gray



Ebony

Castellation Fencing

Size
160 x 21 mm



UH66

Size
141 x 21 mm



UH107

Size
160 x 21 mm



UH105

COMPOSITE PICKET

Profiles	Ref. No.	Unique Decors	Colors
----------	----------	---------------	--------

Composite Picket

Size
89 x 12.5 mm



US89



Flat Grain
H54

Size
138 x 13 mm



US118


Size
175.5 x 21.5 mm




UH122




Teak



Ipe



Silver Gray



Ebony

FENCING COMPONENTS

Profiles	Colors
----------	--------

Fencing Post

Size
80 x 80 x 2400 mm



Installation into the Ground



Black Matte Gray Matte

Size
80 x 80 x 1914 mm



Installation on the Concrete

Post Mount & Expansion Bolt

Ultraeasy Fencing Components



Screw



Anchor Clip



Aluminum Ending Trim



Aluminum Starting Trim



Metal Tube

Invisible Locking Fencing Components



Screw



Bottom Locking Clip



Top Locking Clip



Metal Tube

COMPOSITE PICKET COMPONENTS

Profiles

Aluminum Stringer

Size
L40 x W40 x H2450 mm



Universal



Perforated



Bracket

COMPOSITE FENCE GATE

Profiles	Ref. No.	Unique Decors	Colors
----------	----------	---------------	--------

Composite Fence Gate

Size
W960 x H1820 mm



Composite Fence Gate (UH66)



Flat Grain H54



Teak



Ipe

Size
W960 x H1820 mm



Composite Fence Gate (UH24)



Silver Gray



Ebony

Gate Post & Gate Frame

Size
L80 xW80 x H2500 mm



Gate Post



Black Matte



Gray Matte



Gate Frame



Hinges



Lock

PLANTER BOX

Profiles	Ref. No.	Unique Decors	Colors
----------	----------	---------------	--------

Planter Box

Size
L915 x W307 x H222 mm



Planter Box



Flat Grain H54



Teak

Size
L915 x W611 x H222 mm



Planter Box


























Cedar



Size
L915 x W915 x H222 mm









Planter Box

DECK TILE

Profiles	Ref. No.	Unique Decors	Colors
<div>■ Deck Tile</div> <div>Size L308 x W80 x H22 mm</div> <div></div> <div>QD-SS</div> <div></div> <div><div>CedarRed CedarBlackbuttOak</div><div>TeakIpeWalnutRedwood</div><div>Smoke WhiteAntiqueSilver GrayLight Gray</div><div>Silver AshMirage GrayAged WoodEbony</div><div>Gray MixBrown Mix</div></div>	<div>Size L308 x W308 x H22 mm</div> <div></div> <div>QD-300</div> <div>Wood Grain H4</div>	<div>Size L612.5 x W308 x H22 mm</div> <div></div> <div>QD-600</div>	<div>Size L916 x W308 x H22 mm</div> <div></div> <div>QD-900</div>

<div>■ Single Slat</div> <div>Size L300 x W46.5 x H22 mm</div> <div></div> <div>Expansion Joint</div>	<div>Size L310 x W79.5 x H22 mm</div> <div></div> <div>Quick Deck LED Lighting</div>
--	---

<div>■ Grass Tile</div> <div>Size L72 x W72 x H22 mm</div> <div></div> <div>Grass Cube</div>	<div>Size L308 x W72 x H22 mm</div> <div></div> <div>Grass Slat</div>	<div>Size L308 x W308 x H22 mm</div> <div></div> <div>Grass Tile</div>
---	--	---

<div>■ Ceramic Tile</div> <div>Size L308 x W308 x H20.5 mm</div> <div></div> <div>Ceramic Tile</div>	     <div>Smoke WhiteTravertineChampagne MarbleSilver GrayDark Gray</div>
---	--

BEAMS

Profiles	Ref. No.	Unique Decors	Colors
----------	----------	---------------	--------

Flat Beams

Size
56 x 30.5 mm



UH55

Size
60 x 42 mm



UH17

Size
90 x 51 mm



UH38

Size
100 x 52 mm



UH25

Size
120 x 62 mm



UH26

Size
150 x 82 mm



UH27

Size
107.5 x 30.5 mm



UH56

Size
200 x 30.5 mm




UH72



Flat Grain
H54



Cedar Red Cedar Blackbutt Oak



Teak Ipe Walnut Redwood



Smoke White Antique Silver Gray Light Gray



Silver Ash Mirage Gray Aged Wood Ebony

Louver

Size
75 x 89 mm



US126-45

BEAMS ACCESSORIES

Profiles	Ref. No.	Colors
----------	----------	--------

■ End Cap

Size
L56 x W30.5 x H24 mm



UH55 End Cap

Size
L60 x W42 x H24 mm



UH17 End Cap

Size
L90 x W51 x H24 mm



UH38 End Cap

Size
L101 x W53 x H24 mm



UH25 End Cap

Size
L121 x W63 x H24 mm



UH26 End Cap

Size
L151 x W83 x H24 mm



UH27 End Cap

Size
L107.5 x W30.5 x H24 mm



UH56 End Cap


Size
L201 x W31.5 x H24 mm




UH72 End Cap




Cedar Red Cedar Blackbutt Oak



Teak Ipe Walnut Redwood



Smoke White Antique Silver Gray Light Gray



Silver Ash Mirage Gray Aged Wood Ebony

■ Bracket

Size
L15 x W30 x H50 mm



K-33

■ Locking Clip

Size
L36.3 x W12.7 x H40 mm



WHS06-L

Size
L52 x W12 x H35 mm



WHS07-L

■ CEC Clip

Size
L30 x W12.2 x H35 mm



WHS06-M

Size
L52 x W12 x H35 mm



WHS07-M

■ Metal Tube

Size
For UH27: L70 x W70 x T2 mm
For UH26: L50 x W50 x T2 mm
For UH25: L40 x W40 x T2 mm
For UH17: L30 x W20 x T2 mm





Antique Decking in Canada



Teak Decking in Canada



Antique Decking in South Africa





Red Cedar Cladding in Canada





Teak & Ipe Cladding in Canada





Red Cedar Cladding in Canada

